



BAKERY SERIES



HOTEL &
RESTAURANT
EQUIPMENTS



AUTOMATION &
INTEGRATION



AGRICULTURE
& INDUSTRIAL
SOLUTIONS



**BAKERY
SERIES**



SNACKS
PROCESSING
LINES



PHARMA
SOLUTIONS



PACKAGING
MACHINES



LARGEST
EXPORTER

3S Sales
Service
Spare Parts

MADE IN
PAKISTAN

www.samaengineering.com

COMPANY PROFILE

Introduction:

SAMA has more than four decades of experience in the Turnkey Solution. During this period, projects have been successfully developed and implemented on every scale. Experienced employees have the drive and the know how to understand, Plan and implement production process and complex bakery lines. We the **SAMA** have expertized in the held of packaging machines and processing systems. The selections of the machines and components is carried out independently and is oriented exclusively toward the products in the question and the customer's request. Whether you are an investor who's is planning a production side from scratch, a branch backer who wants to produce on an scale or a regional artisan baker who wants to stand out in terms of quality from your competitor **SAMA** designs the necessary solutions and make them the reality. The **SAMA** bakery systems supplies costomized, complete and turnkey solution for the baking industry you decide which bakery products you would like to produce and **SAMA** will ensure that you are able to do in this in the desired quality and on the agreed date. No matter what ever it involves a new built or the modernization of existing production facilities. As the market and product trends in the baking industry continously require new and innovative solutions of the highest quality, it is crucial to have one supplier that can handle all aspects of the product management. From the targeted product development at the **SAMA** technology center and the selection of the suppliers to installation and far into the use phase. Engineering and technology aswell as service from a single source are required

Vision:

Position ourselves to be a regional player of quality packaging and processing systems. Improve on contemporary measures including cost, quality, service, speed of delivery and mobilization. Keep investing in technology, systems and human resource to effectively meet the challenges every new dawn brings.

Mission:

To be a Company that continuously enhances its superior technological competence to provide innovative solutions to customer needs. To be a Company that attracts and retains outstanding people by creating a culture that fosters openness and innovation, promotes individual growth and rewards initiative and performance. To be a Company that endeavours to set the highest standards in corporate ethics in serving the society

- Individual support with product development and optimization.
- Competent process and lay out planning.
- High efficiency due to consideration of the total cost of owner ship.
- Monitoring and support at start-up.
- Intensive employee training

INDEX

● HALWA MAKING MACHINE	01
● PORTIONING & ROUNDING MACHINE	02
● MULTI PURPOSE ROUNDING MACHINE	03
● LADDU MAKING MACHINE	04
● TWIN COLOR COOKIES	05
● JALEBI IMERTI MAKING MACHINE	06
● BARFI CUTTING MACHINE	07
● FORMING & STAMPING MACHINE	08
● AUTOMATIC FRYER MACHINE	09
● RASMALAI MAKING MACHINE	10
● TRAY ARRANGER	11
● POPCORN MAKING & FLAVOURING MACHINE	12
● AUTOMATIC BARBEQUE ROTESSORIE MACHINE	13

INDEX

● SEEKH KABAB MAKING MACHINE	14
● MACARONI & PASTA MAKING MACHINE	15
● MINI BISCUITS MAKING MACHINE	16
● NAMKEEN DOUBLE HEAD MACHINE	17
● PANIPURI MAKING MACHINE	18
● DOUGH SHEETER MACHINE	19
● DOUGH DIVIDER (SPIRAL)	19
● ELECTRIC ROTARY RACK OVEN	20
● PLANTERY MIXER MACHINE	20
● CHAPATI MAKING MACHINE	21
● BREAD SLICER MACHINE	21
● ENCRUSTING MACHINE	22
● CHIKKI MAKING MACHINE	22

INDEX

● EGG CRACKER AND YOLK SEPARATOR	23
● EGG CRACKING MACHINE	23
● DUMPLING MAKING MACHINE	24
● TURNKEY SOLUTIONS	25
● TURNKEY SOLUTIONS	26
● INVENTORY PAGE	27
● INVENTORY PAGE	28
● CLIENTELE PAGE	29



HALWA MAKING MACHINE

Baking, Roasting & Mixing Machine efficiently bakes and stirs the halwa mixture with a two-agitator arm. It continuously twists, stirs, shakes and bakes the mixture evenly. This machine can also be used as a mixing machine to mix food mixture, slurry, food liquids, etc. After the process, easy tilting technology helps in putting the mixture in the desired tray.

USED FOR MAKING

- KAJU BITE
- MYSOREPAK
- ATTA HALWA
- SOHN HALWA
- MUNG HALWA
- BESAN HALWA
- KARACHI HALWA
- ALL TYPES OF BARFI
- ALL TYPES OF BAKING & MIXING

FEATURES

- PROGRAMMABLE SHAPE & SIZE
- FAST & CONSISTENT DEPOSITING
- NUMEROUS EXTRUSION CONFIGURATIONS
- CASTOR-MOUNTED FOR EASY MOVEMENT
- TOP TO BOTTOM 5.5.304/ANODIZED PARTS
- INBUILT AC DRIVE FOR CONTROLLING THE ROTATION SPEED

BENEFITS

- EASY-LOCKING MECHANISM FOR KADAI WHILE TILTING
- NO LUBRICATION/GREASING REQUIRED FOR A LIFETIME
- TILTING MECHANISM FOR EASY CLEANING OF THE MACHINE
- HUGE SAVING OF GAS & HEAT DUE TO EXTRA COVER ON KADAI

SPECIFICATION

- NET WEIGHT: 360 KG
- AUTO IGNITION SYSTEM
- DEPTH: 36 CM, THICKNESS: 8 MM
- CAPACITY: 100 LTR. BOWL CAPACITY
- BOWL DIMENSION: DIAMETER: 100 CM
- LENGTH: 205 CM, WIDTH: 115 CM, HEIGHT: 120 CM
- ELECTRICITY: 220V AC SINGLE PHASE 50 HZ 1.5 KW





PORTIONING & ROUNDING MACHINE

PORTIONING & ROUNDING MACHINE IS USED FOR PORTIONING AND SHAPING VARIOUS TYPES OF TRADITIONAL AND MODERN FOOD PRODUCTS LIKE PAKISTANI SWEETS, CONFECTIONERY AND BAKERY FOOD ITEMS IN ROUND SHAPE.

USED FOR MAKING

- PEDA
- RASGULLA
- CHUMCHUM
- COCONUT BALLS
- GULABJAMUN

FEATURES

- HIGH SPEED MACHINE
- SMALL & COMPACT IN SIZE
- SIMPLE WEIGHT SETTING MECHANISM
- CASTOR-MOUNTED FOR EASY MOVEMENT
- INBUILT SPHERICAL BALL MAKING ATTACHMENT
- INBUILT AC DRIVE FOR CONTROLLING OUTPUT SPEED
- COMPLETE TOP TO BOTTOM SS 304/ANODIZED PARTS

BENEFITS

- EASY TO OPERATE
- HYGIENIC OPERATION
- LOW-OPERATING COST
- ENERGY EFFICIENT MACHINE
- EASY TO OPEN & WASH WITH WATER
- HUGE LABOUR & POWER-SAVING BENEFITS
- ALL PIECES ARE OF PERFECT SIZE, SHAPE & WEIGHT
- NO LUBRICATION/GREASING REQUIRED FOR A LIFETIME

SPECIFICATION

- WEIGHT: 215 KG
- AIR PRESSURE: 0.8CFM 4 KG
- HOOPER CAPACITY 15 LITRES
- OUTPUT SIZE FROM 1GM TO 100 GM
- OUTPUT SPEED APP. 10000 PIECES PER HOUR
- 220V AC SINGLE PHASE 50/60HZ 500 WATTS
- LENGTH: 159 CM, WIDTH: 52 CM, HEIGHT: 138 CM





MULTIPURPOSE ROUNDING MACHINE

MULTIPURPOSE ROUNDING MACHINE IS USED FOR PORTIONING AND SHAPING THE FOOD ITEMS LIKE SWEETS, SNACKS, BAKERY AND CONFECTIONARY ITEMS IN ROUND SHAPE. MULTIPURPOSE ROUNDING MACHINE IS A COMBINATION OF LADDU ROUNDER MACHINE AND CONVEYOR ROUNDER MACHINE.

USED FOR MAKING

- PEDDA
- LADDU
- KACHORI
- RASMALAI
- RASGULLA
- CHUMCHUM
- COCONUT LADDU
- GULABJAMUN • RASMALAI

FEATURES

- CASTOR-MOUNTED FOR EASY MOVEMENT
- INBUILT SPHERICAL BALL MAKING ATTACHMENT
- COMPLETE TOP TO BOTTOM S.S.304/ANODISED PARTS
- INBUILT AC DRIVE FOR CONTROLLING OUTPUT SPEED

BENEFITS

- SHAPE & WEIGHT
- HYGIENIC OPERATION
- SMALL & COMPACT IN SIZE
- ENERGY-EFFICIENT MACHINE.
- EASY TO OPERATIVE MACHINE
- ALL PIECES ARE OF PERFECT SIZE,
- HUGE LABOUR & POWER SAVING
- EASY TO OPEN & WASH WITH WATER
- CASTOR-MOUNTED FOR EASY MOVEMENT
- NO LUBRICATION/GREASING REQUIRED FOR A LIFETIME

SPECIFICATION

- WEIGHT: 250 KG
- HOOPER CAPACITY: 15 LITRES
- OUTPUT SIZE FROM 1 GM TO 100 GM
- AIR PRESSURE: 0.8 CFM @ 4 KG PRESSURE
- 220V AC SINGLE PHASE 50/60 HZ 500 WATT
- OUTPUT SPEED APP. 10000 PIECES PER HOUR
- LENGHT: 170 CM, WIDTH: 52 CM, HEIGHT: 121 CM





LADDU MAKING MACHINE

LADDU MAKING MACHINE IS A MULTI-PURPOSE MACHINE. IT AUTOMATICALLY TAKES EQUAL PORTIONS FROM THE FOOD MIXTURE CUTS IT IN EQUAL PARTS, SHAPES THEM PERFECTLY WITH THE SPHERICAL BALL-MAKING ATTACHMENT AND GENTLY PLACES THEM IN THE TRAY.

USED FOR MAKING

- PEDDA
- LADDU
- ALOO LADU
- KACHORI BALLS

FEATURES

- SMALL & COMPACT IN SIZE
- COMPLETE TOP TO BOTTOM SS 304
- SIMPLE WEIGHT SETTING MECHANISM
- CASTOR-MOUNTED FOR EASY MOVEMENT
- INBUILT AC DRIVE FOR CONTROLLING OUTPUT SPEED

BENEFITS

- EASY TO OPERATE
- HYGIENIC OPERATION
- ENERGY-EFFICIENT MACHINE
- EASY TO OPEN & WASH WITH WATER
- HUGE LABOUR & POWER-SAVING BENEFITS
- ALL PIECES ARE OF PERFECT SIZE, SHAPE & WEIGHT
- NO GREASING/LUBRICATION REQUIRED FOR A LIFETIME

SPECIFICATION

- NET WEIGHT: APP. 200 KG
- HOOPER CAPACITY: 15 LITRES
- WEIGHT RANGE: 10 GM TO 50 GM
- AIR PRESSURE: 0.6 CFM @ 4 KG PRESSURE
- CAPACITY: APPRO. 3000 PIECES PER HOUR
- ELECTRICITY: 220V AC 50/60 HZ 390 WATTS
- LENGTH: 69 CM, WIDTH: 52 CM, HEIGHT: 138 CM





TWIN COLOR COOKIES

THE MACHINE PRODUCES ALL TWO DIFFERET FORMS OF BISCUITBY COMBINING THEM TOGETHER OR BY PLACING A COLOUR WITHIN A COLOUR CAN MAKE SHAPES, FLOWER, ROUND DOT ETC.

USED FOR MAKING

- 2 COLOUR COOKIES
- CENTER FILLED COOKIES

FEATURES

- INBUILT PLC & HMI
- COMPLETE SS 304 CONSTRUCTION
- SERVO MOTOR & PLANETARY GEARBOX
- TRAY SIZE AS PER CUSTOMER REQUIREMENT

BENEFITS

- EASY TO OPERATE
- HYGIENIC OPERATION
- ARRANGES EVERY PIECE IN PERFECT ORDER
- HUGE LABOUR & POWER- SAVING BENEFITS

SPECIFICATION

- NET WEIGHT: 300 KG
- 220V AC SINGLE PHASE, 50/60HZ, 1KW
- LENGTH: 124 CM, WIDTH: 115 CM, HEIGHT: 161 CM
- SPEED: CAN ARRANGE 10-80 PIECES PER MINUTE





Jalebi & Imarti Making Machine

ENJOY THE DELECTABLE FLAVORS OF PAKISTAN WITH OUR GROUND BREAKING AUTOMATIC JALEBI AND IMARTI MAKING MACHINE A CULINARY MARVEL THAT PUTS YOUR FAVORITE SWEETS AT YOUR FINGERTIPS! OUR CUTTING-EDGE INVENTION, CREATED TO MAINTAIN THE ENDURING CHARM OF THESE LEGENDARY PAKISTANI SWEETS WILL ELEVATE YOUR TASTE EXPERIENCE AND TAKE YOU ON A PLEASANT TRIP OF SWEETNESS.

USED FOR FRYING

- JALEBI
- IMARTI

FEATURES

- MAKES JALEBI & IMARTI
- PROGRAMMABLE SHAPE & SIZE
- FAST & CONSISTENT DEPOSITING
- NUMEROUS EXTRUSION CONFIGURATIONS
- DIMENSIONS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

BENEFITS

- EASY TO OPERATE
- HYGIENIC OPERATION
- ENERGY EFFICIENT MACHINE
- EASY TO OPEN & WASH WITH WATER
- HUGE LABOUR & POWER-SAVING BENEFITS
- ALL PIECES ARE OF PERFECT SIZE, SHAPE & WEIGHT

SPECIFICATION

- NO. OF NOZZLES = 1/2/4
- VOLTAGE/PHASE= 230V
- CAPACITY 10-500 KG P/HR
- POWER SOURCE= ELECTRIC
- HEATING TYPE: GAS/ELECTRIC
- POWER CONSUMPTION= 3.5 HP
- DIMENSION= W*L*H - 4FT 8FT*4
- DESIGN SELECTION= FROM TOUCH SCREEN





BARFI CUTTING MACHINE

Kaju Barfi Sheeter helps evenly spreading the preconditioned mixture of Kaju Barfi on a tray. The thickness of the Kaju Barfi sheet is uniformly maintained in each tray on which it is spread to give a perfect batch of Kaju Barfi each time

USED FOR MAKING

- KAJU BARFI
- MAWA BARFI
- BADAM BARFI
- ALL TYPES OF BARFFIS

FEATURES

- SS 304 MATERIAL
- COMPLETE TOP TO BOTTOM
- PLC-BASED TOUCH SCREEN OPERATION
- CASTOR-MOUNTED FOR EASY MOVEMENT

BENEFITS

- EASY TO OPERATE
- HYGIENIC OPERATION
- ENERGY-EFFICIENT MACHINE
- EACH SHEET IS PERFECTLY THICK
- EASY TO OPEN & WASH WITH WATER
- NO LUBRICATION & GREASING REQUIRE FOR A LIFETIME

SPECIFICATION

- WEIGHT: 485 KG
- OUTPUT: 200 PATTA PER HOUR
- PLC TOUCH SCREEN OPERATING
- THICKNESS RANGE: 3MM TO 30MM
- CASTOR MOUNTED FOR EASY MOVEMENT
- 220V AC SINGLE PHASE 50/60HZ 580WATT
- COMPLETE TOP TO BOTTOM SS304 MATERIAL
- LENGTH: 202CM, WIDTH: 94CM, HEIGHT: 135CM
- NO LUBRICATION & GREASING REQUIRE LIFETIME





FORMING & STAMPING MACHINE

PEDA FORMING , STAMPING , MOULDING MACHINE IS USED TO DESIGN VARIOUS TYPES OF SWEETS AND BAKERY ITEMS. IT CUTS EQUAL PORTIONS FROM THE PRECONDITIONED FOOD MIXTURE. WITH THE HELP OF A DESIGNER DIE ATTACHMENT IN COMBINATION WITH THE PRESSING TECHNOLOGY, IT NEATLY PRESSES THE FOOD ITEM IN UNIFORM SHAPES.

USED FOR MAKING

- PEDA
- COOKIES

FEATURES

- SMALL & COMPACT IN SIZE
- PLC & HMI BASED MACHINE
- SIMPLE WEIGHT SETTING MECHANISM
- CASTOR-MOUNTED FOR EASY MOVEMENT
- INBUILT AC DRIVE FOR CONTROLLING OUTPUT SPEED
- COMPLETE TOP TO BOTTOM SS 304/ANODIZED PARTS

BENEFITS

- EASY TO OPERATE
- HYGIENIC OPERATION
- ENERGY EFFICIENT MACHINE
- EASY TO OPEN & WASH WITH WATER
- HUGE LABOUR & POWER- SAVING BENEFITS
- ALL PIECES ARE OF PERFECT SIZE, SHAPE & WEIGHT
- NO LUBRICATING/GREASING REQUIRED FOR A LIFETIME

SPECIFICATION

- WEIGHT: 195 KG
- HOOPER CAPACITY: 15 LITRES
- OUTPUT SIZE FROM 10 GM TO 100 GM
- AIR PRESSURE: 0.8 CFM @ 4 KG PRESSURE
- OUTPUT SPEED APP. 50 PIECES PER MINUTE
- 220V AC SINGLE PHASE 50/60 HZ 500 WATTS
- LENGTH: 178 CM, WIDTH: 52 CM, HEIGHT: 140 CM





AUTOMATIC FRYER

AUTOMATIC FRYER MACHINE HELPS IN FRYING SWEETS AND SNACKS EVENLY AND GENTLY WITHOUT BREAKING THEM. IT CAN BE USED FOR ALL KINDS OF FOOD FRYING REQUIREMENTS

USED FOR FRYING

- KALAJAM
- KACHORI
- GULABJAMUN
- ALL TYPES OF FRYING

FEATURES

- PLC BASED
- AUTO IGNITION SYSTEM
- WITH A RECIPE SETTING
- SMALL & COMPACT IN SIZE
- INBUILT TWIN GAS BURNER
- AUTOMATIC TEMPERATURE CONTROL
- CASTOR-MOUNTED FOR EASY MOVEMENT

BENEFITS

- EASY TO OPERATE
- LOW OPERATE COST
- HYGIENIC OPERATION
- ENERGY-EFFICIENT MACHINE
- HUGE LABOUR & POWER-SAVING BENEFITS
- NO GREASING/LUBRICATION REQUIRED FOR A LIFETIME

SPECIFICATION

- NET WEIGHT: 200 KG
- WORKS ON LPG/PNG
- BOWL DIAMETER: 30" & 39"
- OIL CAPACITY: 40 TO 100 LITRES
- 220V AC 1 PHASE 50/60 HZ 500 WATTS
- LENGTH: 89 CM WIDTH: 150 CM HEIGHT: 112 CM





Rasmalai Making Machine

RASMALAI MAKING MACHINE IS A FULLY PLC-BASED MACHINE USED FOR MAKING RASMALAI AND RASGULLA. EVERY RASMALI IS OF PERFECT SIZE, SHAPE AND WEIGHT FOR A UNIFORM BATCH. THIS RASMALAI MAKING MACHINE CAN ALSO BE ATTACHED WITH RASGULLA MAKING MACHINE.

FEATURES

- SMALL & COMPACT IN SIZE.
- CASTOR-MOUNTED FOR EASY MOVEMENT
- FULLY MICRO CONTROL PLC-BASED MACHINE
- COMPLETE TOP TO BOTTOM S.S.304/ANODISED PARTS

BENEFITS

- SHAPE & WEIGHT
- EASY TO OPERATE
- HYGIENIC OPERATION
- ENERGY-EFFICIENT MACHINE
- ALL PIECES ARE OF PERFECT SIZE,
- EASY TO OPEN & WASH WITH WATER
- HUGE LABOUR & POWER-SAVING BENEFITS
- NO LUBRICATION/GREASING REQUIRED FOR A LIFETIME

SPECIFICATION

- SIZE: 5 GM TO 50 GM
- WEIGHT: 250 KG APPROX.
- OUTPUT: 4000 PIECES PER HOUR
- ELECTRICAL: 220V AC 50 HZ 500 WATT
- DIMENSION: L: 170 CM, B: 65 CM, H: 106 CM
- AIR CONSUMPTION: 1 CFM @ 4 KG PRESSURE





TRAY ARRANGER

TRAY ARRANGER IS USED TO SKILLFULLY ARRANGE FOOD ITEMS IN TRAYS. AFTER ONE TRAY IS FULL, THE MACHINE AUTOMATICALLY TAKES A NEW EMPTY TRAY TO FILL THE FOLLOWING BATCH OF THE FOOD ITEM. TRAY ARRANGING MACHINE CAN ALSO BE COMBINED WITH THE PEDA DESIGNING MACHINE OR BALL FORM MACHINE.

FEATURES

- INBUILT PLC & HMI
- COMPLETE SS 304 CONSTRUCTION
- SERVO MOTOR & PLANETARY GEARBOX
- TRAY SIZE AS PER CUSTOMER REQUIREMENT

BENEFITS

- EASY TO OPERATE
- HYGIENIC OPERATION
- ARRANGES EVERY PIECE IN PERFECT ORDER
- HUGE LABOUR & POWER-SAVING BENEFITS

SPECIFICATION

- NET WEIGHT: 300 KG
- 220V AC SINGLE PHASE, 50/60HZ, 1KW
- LENGTH: 124 CM, WIDTH: 115 CM, HEIGHT: 161 CM
- SPEED: CAN ARRANGE 10-80 PIECES PER MINUTE





POPCORN MAKING & FLAVOURING MACHINE

REVOLUTIONIZE YOUR POPCORN PRODUCTION WITH OUR INDUSTRIAL POPCORN MAKING MACHINE. WELCOME TO THE WORLD OF GOURMET POPCORN PRODUCTION WHERE INNOVATION MEETS FLAVOR! OUR INDUSTRIAL POPCORN MAKING MACHINE IS THE ULTIMATE SOLUTION FOR BUSINESSES LOOKING TO OFFER AN ARRAY OF DELICIOUS POPCORN FLAVORS THAT WILL CAPTIVATE YOUR CUSTOMERS TASTE BUDS.

USED FOR MAKING

- ORIGINAL POPCORN
- BUTTER POPCORN
- CHEESE POPCORN
- CARAMEL POPCORN

FEATURES

- USER FRIENDLY
- GAS HEATING SYSTEM
- EFFICIENT KERNEL POPPING
- CLEANING AND SANITIZING
- STEP-BY-STEP PRODUCTION
- FLAVOR DISPENSING SYSTEM
- ELECTRICAL HEATING SYSTEM

BENEFITS

- EASY CLEANING
- COST EFFECTIVE
- SAFETY MEASURES
- PRECISION SEASONING
- QUALITY AND RELIABILITY
- ROBUST CONSTRUCTION
- USER-FRIENDLY INTERFACE
- CUTTING-EDGE TECHNOLOGY
- LARGE PRODUCTION CAPACITY

SPECIFICATION

- SEALED GEAR MOTOR
- HEATING METHOD: LPG
- HEATING METHOD: INDUCTION
- CONTROL METHOD: BUTTON CONTROL
- HIGH PRECISION WIRELESS TEMPERATURE CONTROL DEVICE
- SINGLE HYDRAULIC CYLINDER AND DOUBLE HYDRAULIC CYLINDER
- MATERIAL: S30408; ONE-TIME COLD STAMPING FORMING INNER PORT.
- THE MATERIAL IS DISCHARGED FROM THE HYDRAULIC PORT, AND THE MATERIAL IS DISCHARGED AT A HIGH POSITION





AUTOMATIC BARBEQUE ROTESSORIE MACHINE

AUTOMATIC INDUSTRIAL SEEKH KEBAB MAKING MACHINE IS A GAME CHANGER IN THE CULINARY WORLD. CRAFTED WITH PRECISION ENGINEERING AND DESIGNED FOR SEAMLESS INTEGRATION INTO YOUR INDUSTRIAL KITCHEN, THIS MACHINE EMBODIES INNOVATION, RELIABILITY, AND IMPECCABLE TASTE.

USED FOR MAKING

- SEEKH KABAB
- ROUND KABAB
- BARBEQUE KABAB
- ALL TYPES OF BEEF SKEWER KABAB
- ALL TYPES OF CHICKEN SKEWER KABAB

BENEFITS

- SS 304 BODY
- TIME SAVING
- MULTIFUNCTION
- COST EFFECTIVE
- EASY TO OPERATE
- HIGH PRODUCTION RATE

SPECIFICATION

- Usage: Commercial
- Dimensions: 110*65*160
- Condition: New and Professional
- Capacity: 400.600.800.1000 kinds of kebabs Per/Hour
- Equipped with Electrical panel to set conveyor speed
- Temperature: Equipped with Radiative burns with thermal capacity of 900 Degrees





SEEKH KABAB MAKING MACHINE

OUR AUTOMATIC SIKH KEBAB MAKING MACHINE IS YOUR KEY TO PRODUCING HIGH-QUALITY KEBABS CONSISTENTLY, EFFICIENTLY, AND HYGIENICALLY. UPGRADE YOUR KITCHEN'S CAPABILITIES AND TAKE YOUR KEBAB PRODUCTION TO THE NEXT LEVEL WITH THIS INNOVATIVE SOLUTION.

USED FOR MAKING

- HIGH VOLUME OUTPUT
- DIVERSE KEBAB VARIETIES
- EFFORTLESS KEBAB PRODUCTION

FEATURES

- SAFETY FEATURES
- HYGIENIC DESIGN
- LOW MAINTENANCE
- HIGH-SPEED PRODUCTION
- USER-FRIENDLY INTERFACE
- AUTOMATED PRODUCTION
- CUSTOMIZABLE RECIPE SETTINGS:

BENEFITS

- SAFETY
- RELIABILITY
- CONSISTENCY
- CUSTOMIZATION
- TIME AND LABOR SAVINGS
- INCREASED PRODUCTIVITY

SPECIFICATION

- GRILL WIDTH: 4 CM
- HIGH WORK SPEEDS/HR
- MACHINE WEIGHT: 85 KG
- GRILL LENGTH: FROM 36 CM
- DISABLE AUTOMATIC SENSOR.
- DIMENSIONS: 39 * 50 * 75 CM
- WORKING VOLTAGE 220 VOLTS.
- POWER CONSUMPTION: 60 WATTS
- HIGH QUALITY ELECTRICAL APPLIANCES.
- ADJUSTING AND CHANGING THE MOLD FROM
- THE WHOLE BODY IS MADE OF STAINLESS STEEL.
- 75 GRAMS TO 180 GRAMS WITH A LENGTH OF 36 CM





MACARONI & PASTA MAKING MACHINE

UNLOCK THE WORLD OF PASTA PERFECTION WITH OUR STATE OF THE ART MACARONI AND PASTA MAKING MACHINE. CRAFTED WITH PRECISION AND INNOVATION, THIS CULINARY MARVEL IS YOUR PASSPORT TO A WORLD OF DELECTABLE PASTA CREATIONS. WITH THE PASTA MASTER, THE POSSIBILITIES ARE AS ENDLESS AS YOUR CULINARY IMAGINATION. THIS VERSATILE MACHINE EFFORTLESSLY HANDLES A WIDE ARRAY OF PASTA TYPES AND SHAPES, MAKING IT AN INDISPENSABLE ADDITION TO YOUR KITCHEN ARSENAL.

USED FOR MAKING

- Fusilli
- Spaghetti
- Penne Rigate
- Elbow Macaroni

FEATURES

- Save time
- User Friendly
- Cost efficient
- Product Grade SS304
- Reliable performance

SPECIFICATION

- Power: 4kw
- Weight: 150kg
- Speed: 100r / min
- Voltage: 220v/380v
- Output: 80-100kg / h
- Size: 710 * 480 * 950mm





MINI BISCUITS MAKING MACHINE

INTRODUCING OUR MINI BISCUIT MAKING MACHINE THE PERFECT SOLUTION FOR EFFORTLESSLY CRAFTING DELICIOUS BISCUITS IN A VARIETY OF APPEALING SHAPES. THIS COMPACT AND VERSATILE MACHINE IS DESIGNED TO MEET THE DEMANDS OF BOTH HOME BASED BAKERS AND SMALL SCALE COMMERCIAL ENTERPRISES.

USED FOR MAKING

- COOKIES
- CLASSIC BISCUIT
- CUSTOM SHAPES

FEATURES

- EFFICIENT PRODUCTION
- PRECISE PORTION CONTROL
- ADJUSTABLE SHAPE OPTIONS
- EASY-TO-USE CONTROL PANEL
- STAINLESS STEEL CONSTRUCTION

BENEFITS

- SAFETY
- HYGIENE
- CONSISTENCY
- MARKET APPEAL
- COST-EFFICIENCY
- TIME AND LABOR SAVINGS

SPECIFICATION

- POWER: 1.5KW
- VOLTAGE: 380V50HZ
- SIZE: 2350*850*1350MM
- BAKING PAN SIZE: 400*600MM DIE DIAMETER: 248MM WEIGHT: 550KG
- THREE- PHASE/220V50HZ SINGLE-PHASE OUTPUT: 50-180KG/H (DEPENDENT ON THE PRODUCT)





NAMKEEN DOUBLE HEAD MACHINE

NAMKEEN DOUBLE HEAD IS SUITABLE TO MAKE VARIOUS TYPES OF NAMKEEN FOOD ITEMS. PLACE A DIE TO GET YOUR DESIRED SHAPE OF NAMKEEN AND FEED THE PRECONDITIONED MIXTURE. THROUGH AN EXTRUSION PROCESS, THE MIXTURE WILL PASS THROUGH A SPECIFIC DIE WHICH IS PLACED. THE PROCESS WILL ENSURE THE UNIFORMITY IN EVERY BATCH OF MASS PRODUCTION OF NAMKEEN.

USED FOR FRYING

- PAPDI
- SEVIYAN

FEATURES

- INBUILT TWIN GAS BURNER
- OUTPUT 50-100KG PER HOUR
- TILTING MECHANISM FOR EASY CLEANING
- 20+10 DIFFERENT TYPES OF NAMKEEN DIES
- CASTOR-MOUNTED FOR EASY MOVEMENT

BENEFITS

- EASY OPERATION
- HYGIENIC OPERATION
- SMALL & COMPACT IN SIZE
- CAN WORK WITH MINIMUM OIL
- EASY TO OPEN & WASH WITH WATER
- CASTOR-MOUNTED FOR EASY MOVEMENT
- ALL TYPES OF SHAPES & DESIGNS POSSIBLE
- HUGE LABOUR & POWER-SAVING BENEFITS
- NO GREASING/LUBRICATION REQUIRED FOR A LIFETIME

SPECIFICATION

- NET WEIGHT: 350 KG
- WORKS ON LPG/PNG
- BOWL DIAMETER: 100 CM
- OIL CAPACITY: 60 TO 100 LITRES
- 220V AC SINGLE PHASE, 750 WATTS
- AIR PRESSURE: 1 CFM @ 6 KG PRESSURE
- COMPLETE TOP TO BOTTOM SS 304 BODY
- LENGTH: 110 CM. WIDTH: 164 CM, HEIGHT: 175 CM





PANIPURI MAKING MACHINE

INTRODUCING OUR CUTTING-EDGE PANI PURI CUTTING MACHINE, A MUST HAVE ADDITION FOR ANY FOOD BUSINESS THAT SERVES THIS BELOVED PAKISTANI STREET FOOD DELICACY. THIS INNOVATIVE MACHINE IS DESIGNED TO STREAMLINE THE PREPARATION PROCESS OF PANI PURI MAKING IT FASTER, MORE EFFICIENT, AND HYGIENIC THAN EVER BEFORE.

USED FOR MAKING

- PANI PURI CUTTING
- PANI PURI CUTTING WITH ADJUSTABLE SIZES

FEATURES

- EFFICIENT MOTOR
- SAFETY MEASURES
- COMPACT DESIGN
- EASY MAINTENANCE
- DURABLE CONSTRUCTION
- ADJUSTABLE CUTTING SIZE

BENEFITS

- VERSATILE
- TIME SAVING
- USER-FRIENDLY
- LESS LABOR WORKS
- EFFORTLESS CUTTING
- HYGIENIC OPERATIONS
- INCREASED EFFICIENCY
- ENHANCED FOOD QUALITY
- CONSISTENT RESULTS IN EVERY USE

SPECIFICATION

- ELE.MOTOR: 0.25 HP
- TECHNICAL DETAILS:
- MACHINE SIZE: 3.5*2.6*1.3
- MACHINE WEIGHT : 60 KG
- PRODUCTION CAPACITY : 2000 PCS/HRS



DOUGH SHEETER MACHINE

SUITABLE FOR CRISP FOOD & MULTI LAYER
FOOD SUCH AS CROSSIANT, PUFFED PASTRIES,
FLAKY PASTRIES, SOFT PASTRY DOUGH & STUFF PIZZA

SPECIFICATION

- POWER : 0.75 KW
- BELT WIDTH : 520 MM
- NET WEIGHT : 180 KGS
- OUTER DIMENSSION : 2100*900*1200MM



DOUGH DIVIDER ROUNDER (SPIRAL)

IT DIVIDES THE DOUGH EQUAL PARTS &
MAKE A BALL SHAPE (ROUND) USED FOR BREAD,
PIZZA, CAKES & DIFFERENT TYPES OF DOUGH PARTS

SPECIFICATION

- NET WEIGHT : 180 KGS
- MOTO POWER : 2.2 KW
- CAPACITY : 400PCS/H
- VOLTAGE/FREQUENCY : 220 V/ 50 HZ
- DIMENSION (L*W*D) : 1350*430*93MM



ELECTRIC ROTARY RACK OVEN

USE FOR EVERY BAKING PURPOSE BUN, BREAD, COOKIES ETC.

SPECIFICATION

- WEIGHT : 1000KG
- LAYER TRAY : 16 - 32
- VOLTAGE : 380V/220V
- TIME : 12 - 30 MIN/ONCE
- CAPACITY : 50 - 80KG/H
- TEMPERATURE : 20 - 300C
- POWER : 2KG GAS = 1.6 KW
- SIZE OF PANS : 600 - 400MM
- DIMENSION : 2100*1600*250MM



PLANTERY MIXER

SUITABLE FOR MIXING ICE CREAM, BREAD, BUTTER, SUGAR, EGG, SAUCES, MILK & PASTE.

SPECIFICATION

- POWER : 500W
- VOLTAGE : 220V
- FREQUENCY : 50HZ
- NET WEIGHT : 365KG
- CAPACITY : 80 - 350L
- DIMENSION (L.W.H) : 900*750*1410MM



CHAPATI MAKING MACHINE

It can make Chapati, Tanduri naan, Paratha

SPECIFICATION

- SPEED : VARIABLE
- THICKNESS : 1 - 5 MM
- NET WEIGHT : 120 KGS
- SIZE OF CHAPATI : 2 - 19 INCH
- CAPACITY : 850 - 200 PCS/H
- DIMENSION : 407*457*1372 MM



BREAD SLICER MACHINE

THE BREAD SLICER IS AN EQUIPMENT DESIGNER TO CUT BAKERY PRODUCTS ALREADY PREPARED (COOKED) INTO SEVERAL SLICES AUTOMATICALLY, REPLACING THE MANUAL USER OF KITCHEN UTENSILS.

SPECIFICATION

- POWER : 370 W
- VOLTAGE 220 V
- NET WEIGHT : 70 KG
- THICKNESS : 8-12 MM
- CAPACITY : 50-240 PCS/H
- DIMENSION (L*W*H) : 630*630*685MM



ENCRUSTING MACHINE

USED FOR MAKING KIBBA KABAB, SOUP BALL, MOCHI, MA'AMOUL 1, MA'AMOUL 2, CHOCOLATES, PANDA COOKIES, FILLING COOKIES, CHOCOLATE DOUBLE FILLING COOKIES, TULUMBA, CORQUETS, COXINAH, COOKIES MA'AMOUL DOUBLE

SPECIFICATION

- POWDER : 2 KW
- NET WEIGHT : 110 KGS
- CAPACITY : 1000-5000 PCS/H
- DIMENSION : 1670*920*1290 MM
- PRODUCTS WEIGHT : 15-150 G/PC



CHIKKI MAKING MACHINE

IT CAN MAKE CHICKI, MURMURE IN BALLS & BAR SHAPES ETC.

SPECIFICATION

- VOLTAGE : 220 V
- POWER : ELECTRICAL
- CAPACITY : 40-100 KGS/H





EGG CRACKER & YOLK SEPARATOR

EGG WHITE AND YOLK SEPARATOR IS USED TO PRODUCE FRESH EGG JUICE. THE EGG SHELL CAN BE OPENED, THE EGG YOLK CAN FLOW OUT INTO THE EGG JUICE TANK, AND THE EGG SHELL CAN FALL OFF INTO THE CONTAINER. IT IS SUITABLE FOR BAKERY, CAKE FACTORY, EGG CAKE, ETC.

SPECIFICATION

- VOLTAGE 220V
- WEIGHT 145KG
- POWER 500W
- MODEL JY-T22
- CAPACITY 3000-3600PCS/H
- DIMENSION 1750*1200*1100MM

FEATURES

- EGG WHITE AND YOLK SEPARATOR IS CONTROLLED BY TOUCH SCREEN, WHICH CAN DISPLAY THE NUMBER AND SPEED OF EGG BEATING.
- EGG WHITE AND YOLK SEPARATOR'S BODY ADOPTS 304 STAINLESS STEEL, EASY TO CLEAN.
- ACCORDING TO THE SIZE OF THE BEATEN EGGS, THE POSITION OF THE SPECIAL BEATING KNIFE CAN BE ADJUSTED TO ENSURE THAT 100% OF THE EGGS ARE OPENED, WHICH CAN BE ADAPTED TO A VARIETY OF EGG SPECIFICATIONS.
- MODERATE PRODUCTION, ENSURE THE FRESHNESS OF EGG LIQUID, SUITABLE FOR SMALL AND MEDIUM-SIZED FOOD FACTORY, PASTRY ROOM AND OTHER UNITS.




EGG CRACKING MACHINE

THE MACHINE PRODUCED ALL TWO DIFFERENT FORMS OF BISCUITS BY COMBINING THEM TOGETHER OR BY PLACING A COLOUR WITHIN A COLOUR CAN MAKE SHAPES, FLOWER, ROUND DOT ETC

SPECIFICATION

- VOLTAGE : 400 V
- NET WEIGHT : 78 KGS
- POWER POINT : 1.1 KW
- PHASE CURRENT : 50 HZ
- CAPACITY : 20,000 PCS/H
- DIMENSION : 930*670*640MM





DUMPLING MAKING MACHINE

USED FOR MAKING DUMPLING, WONTON,
SAMOSA SPRING ROLL, FRIED DUMPLING,
LACE DUMPLING FLAT DUMPLING, QUADRATE DUMPLING


SPECIFICATION

- POWER : 2.2 KW
- NET WEIGHT: 110 KGS
- CAPACITY : 4800 PCS/H
- DIMENSION : 670*420*73 C




TURNKEY SOLUTIONS

SAMA
BAKERY SERIES



TURNKEY SOLUTIONS

SAMA
BAKERY SERIES



INVENTORY PAGE

SAMA
BAKERY SERIES





All our systems and processes are carried out to high standards to ensure total customers satisfaction each order is varified for suitability for purpose prior to a contract been signed. Following manufacture our machines undergo testing, to ensure production is achieved 24 hours a day, 7 days a week for many years

The close co-operations with our customers, combined with optimum maintenance and the use of high quality original spare parts, ensure that machines downtimes is reduced to a minimum.

- Field Service
- Spare apatrs
- Training
- Modernization

CLIENTELE





PACKAGING MACHINES &
PROCESSING SYSTEM



+92-(21) - 36688883, +92 (21) 36603311,
+92 (21) -36602467



+ (92) 345 2266208 + (92) 345 2266210
+ (92) 345 2266203



info@samaengineering.com,
sales@samaengineering.com



Nazimabad# 02 Block A, Plot No. 1/32,
Opposite Firdous Colony, Karachi - 74600 Pakistan



www.samaengineering.com