



Packaging Machines &  
Processing Systems



# PACKAGING UNIVERSE


## PACKAGING PRODUCTS




Pulses and Grains



Chips



Confectionery



Soft & Hard Biscuits



Powder Drinks



Cheese



Ground Coffee



Nuts



Powder



Grain Spices



Corn Flakes And Oats



Cereals



Tea



Pasta




Animal Feed



Baked Goods



Pharmaceutical



Snack Products



Dried and Fresh Fruit



Frozen Food

## BAG SHAPES



Bag With Carry Handle




Pillow Back Sealing Bag




Folded Edge Bag




Gusseted Bag




4 Side Sachet



3 Side Stick Sachet




3 Side Seal Bag



Gusseted Pillow Pack



Pillow Pack



Gusseted Pillow Pack



Flat Bottom Bag




Double Twist Packet




3 Sides Bag with Spout



Triangle shape Bag



Bag with Euro Hole



Stick Back Sealing




Standup Bag with Spout



Double Doypack Bag



Flat Bottom Gusseted Bag



Continuous Bag



01	05	Company Profile & introduction
06	07	Bag Shapes
08	11	VFFS Series
12	14	Twin Series
15	22	Multilane Series
23	28	Clip Seal Series
29	31	Cartoning Series
32	36	H Series
37	47	Horizontal Series
48	51	Doypack Series
52	53	Vacuum Series
54	56	Wrapping Series
57		Blister Series
58	60	Filling Series
61		Weigher Series
62		Complete Packaging Line
64	63	Turnkey Solutions
66	65	Auxiliary Equipments
67		Gallery Export & Exhibitions
68	69	Group Pictures
70		Spare Parts
71		Clientle Page

## COMPANY PROFILE



**SAMA PACKAGING MACHINES & PROCESSING SYSTEMS**  
Your Trusted Partner in Packaging Solutions

### Introduction:

**SAMA** Packaging Machines & Processing Systems boasts over 40 years of industry experience as a leading provider of turnkey solutions. Founded by **Mr. Muhammad Umer Sama**, the company has thrived under visionary leadership, emerging as a trusted source for top-quality packaging machinery.

### Evolution and Growth:

Since its establishment in 1978, **SAMA** has evolved from a modest enterprise to a pioneering force in the packaging sector. The company's journey includes expansion into pharmaceuticals with the inception of "Pharma Remedy," marking a significant milestone in its growth.

### Expertise and Focus:

**SAMA** specializes in crafting bespoke solutions tailored to diverse industry needs. With expertise spanning FMCG, pharmaceuticals, confectionery, and beyond, **SAMA's** proficiency in packaging machinery and processing systems is unparalleled.

### Strategic Expansion:

Driven by innovation and diversification, **SAMA** strategically broadened its reach through exhibitions, partnerships with multinational corporations, and ventures into new industries like snacks, tea, and confectionery.

### Core Values:

Anchored in professionalism, dedication, and pursuit of excellence, **SAMA** prioritizes quality, cost-effectiveness, and technological advancement in all operations.

### Client-Centric Approach:

**SAMA's** success stems from its unwavering focus on client satisfaction. By delivering tailored solutions, minimizing costs, and integrating cutting-edge technology, **SAMA** ensures clients receive high-quality, cost-effective packaging solutions.



## COMPANY PROFILE

### Global Reach:

While headquartered in Pakistan, **SAMA** has expanded its presence across Asia, Africa, the Middle East, and Europe. This global reach underscores the company's commitment to superior solutions and exceptional customer service worldwide.

### State-of-the-Art Facilities:

Backed by state-of-the-art manufacturing facilities and robust supply chain management, **SAMA** adheres to the highest standards of quality and efficiency. Modern manufacturing processes and cutting-edge design software ensure optimal outcomes.

### Vision and Mission:

Driven by a vision to be the premier manufacturer of packaging machinery and processing systems, **SAMA** is dedicated to fostering sustainable growth locally and globally. The company's mission revolves around custom designing, manufacturing, seamless installation, and unwavering after-sales support.

### Conclusion:

With a rich history, dedication to excellence, and client-centric approach, **SAMA** continues to redefine packaging solutions. From humble beginnings to global recognition, **SAMA** remains committed to innovation, quality, and customer satisfaction.

## (FAQ) About SAMA Packaging Machines & Processing Systems

1. Q: What types of packaging machinery solutions do you offer?

A: We offer a comprehensive range of packaging machinery solutions, including filling, wrapping, boxing, sealing, labeling and auxiliary equipments and much more.

2. Q: Can I customize your packaging machinery to fit my specific needs?

A: Yes, our experienced team can work with you to design and build custom packaging machinery solutions tailored to your unique requirements.

3. Q: What industries do your packaging machinery solutions cater to?

A: Our solutions cater to a wide range of industries, including food, non food, beverage, pharmaceutical, e-commerce, and more.

4. Q: Are your packaging machinery solutions energy-efficient and eco-friendly?

A: Yes, we prioritize sustainability and offer energy-efficient and eco-friendly packaging machinery solutions that reduce waste and minimize environmental impact.

5. Q: Can I schedule a demo or trial of your packaging machinery before purchasing?

A: Absolutely! We offer demos and trials to ensure our solutions meet your needs and expectations.

6. Q: What kind of support and maintenance services do you offer?

A: We provide comprehensive support, including installation, training, and ongoing maintenance to ensure optimal performance and minimize downtime.

7. Q: Can I purchase spare parts and consumables for my packaging machinery from you?

A: Yes, we offer a wide range of spare parts and consumables to keep your machinery running smoothly.

8. Q: Do you offer packaging machinery rental or leasing options?

A: Yes, we offer flexible rental and leasing options to suit your business needs and budget.

10. Q: What is the typical lead time for delivery and installation of your packaging machinery?

A: Lead times vary depending on the machinery and customization, but we prioritize timely delivery and installation to minimize downtime and get you up and running quickly.

Q: Can I integrate your packaging machinery with my existing production line?

A: Yes, our team can work with you to ensure seamless integration with your existing equipment and systems.

Q: Do you offer packaging machinery for small-scale or startup businesses?

A: Yes, we offer scalable solutions suitable for businesses of all sizes, including small-scale, startup operations and high end premium solutions.

Q: Can I purchase used or refurbished packaging machinery from you?

A: Yes, we offer certified pre-owned and refurbished machinery options to fit your budget and needs.

Q: How do you ensure the quality and reliability of your packaging machinery?

A: We maintain the highest quality standards through rigorous testing, quality control measures, and continuous improvement processes.

Q: Can I customize the design and appearance of your packaging machinery?

A: Yes, we offer customization options to fit your brand and facility aesthetic.

Q: How do you handle spare parts and consumables inventory management?

A: We offer inventory management solutions to ensure you have the parts and supplies you need when you need them.

## OUR EXPERTISE



## INTEGRATION & PARTNERS



## AWARDS & CERTIFICATES





## AWARDS & ACHIEVEMENTS

"Muhammad Umer Sama" CEO of "Sama Engineering" receiving Brand of the year 2010 award from the Prime Minister of Pakistan "Mr. Yousuf Raza Gillani"



"Muhammad Umer Sama" CEO of "Sama Engineering" receiving "KCCI 2010" award from the Prime Minister of Pakistan "Mr. Nawaz Shareef"



Mr. Shahzad Umer Sama of "Sama Engineering" While Receiving The Trophy of "Brand of the Year Awards 2019" From Honorable Chief Guest Barrister Dr. Farogh Naseem Federal Minister of Law & Justice.



MR. Shahzad Umer Sama of "Sama Engineering" While Receiving The "Certificate Of Achievement Of Brand Of The Year Awards 2019" From Mr. Agha Ahmed Khan, President (KCCI) Karachi Chamber Of Commerce & Industry



Mr. Shahzad Umer Sama of "Sama Engineering" while receiving the trophy of FPCCI Brands of the Year Award 2017-18 from Chief Guest Dr. Miftah Ismail, Federal Minister for Finance, Revenue & Economic Affairs Government of Pakistan.



CxO Global Forum brings **Shahzad Umer Sama The Entrepreneur Awards** to encourage the nationwide talent by giving them a recognition for their contribution



Sama Engineering received KCCI Export Trophy presented by prime minstor of Pakistan



**Muhammad Umer Sama**  
CEO & Founder of SAMA

"As CEO of SAMA I am committed to driving innovation and excellence in the packaging industry. Our goal is to be the go-to partner for businesses seeking cutting-edge packaging solutions that combine efficiency, sustainability, & reliability. We invest in our people, technology, & customer relationships to deliver exceptional value and support. Our vision is to revolutionize the packaging landscape with innovative machinery, expert guidance, & a customer-centric approach. Together, let's shape the future of packaging and empower businesses to thrive in an ever-changing world."



**Shahzad Umer Sama**  
Managing Partner of SAMA

As Managing Partner of SAMA Group We're dedicated to providing innovative and comprehensive packaging solutions that meet the evolving needs of our customers. Our mission is to empower businesses to package with precision, efficiency, and sustainability. With our extensive range of packaging machinery and expert support, we're confident that our customers will find the perfect solution to streamline their operations and grow their business. We're proud to be a trusted partner in the packaging journey of our valued customers."



**Shahnawaz Umer Sama**  
Director marketing of SAMA

As Marketing Director at SAMA we aim to showcase innovative packaging's transformative potential. We craft immersive experiences to inform, motivate, & connect customers with the latest trends. Using data-driven strategies, compelling narratives, & collaborations, we build a dynamic community of packaging professionals who rely on us for knowledge and solutions. Our goal is to elevate our brand, foster expansion, and empower businesses to package with intent and excellence.



**Shahzaib Umer Sama**  
Director of SAMA

As Director of SAMA "we're dedicated to pioneering packaging solutions that adapt to our customer's changing needs. Our mission is to empower businesses with precision, efficiency, and sustainability at the forefront. Offering an extensive array of cutting-edge machinery and unparalleled expertise, we assure our customers of finding the ideal solution to optimize their operations and foster growth. We take pride in being the trusted all throughout our customers packaging journey."



## BAG SHAPES

Bagging Brilliance:  
Explore Diverse  
Packaging Shapes



## BAG SHAPES

Bagging Brilliance:  
Explore Diverse  
Packaging Shapes





## SUS 101 MHW GRANULES PACKING MACHINE



Speed:  
60 - 90 BPM  
Capacity:  
10gm - 10 kg  
Product:  
Granules

**VFFS SERIES**



### Specification

- Speed: 60.90 BPM
- Bag Shape: Optional, Pillow Pack, Gusseted Quad etc
- Feeding System: Multihead Weigher
- Power Supply: ~400v 50Hz. 3 Phase.
- Total Power Energy: 4.5 KW
- Film Width: 300 mm
- Dimension(LxWxH): 2200 x 1120+600 x 1800mm

### Application

It is designed for different types of packages suitable for food and non-food products like Snacks , Bulk Candies , Rice, Pulses , Pasta , Biscuits, Sugar, Salt, Tea, Spices and Similar Products.

## SUS 101 AG POWDER PACKING MACHINE

Best sealed seem  
quality through  
special methods



Speed:  
70 - 90 BPM  
Capacity:  
10gm - 10kg  
Bag Shape:  
Pillow pack, gusseted,

**VFFS SERIES**



### Specification

- Speed: 70 - 90 BPM (Depends on product)
- Bag Shape: Pillow Pack, Gusseted, Quad etc
- Power Supply: 400v 50Hz. 3 Phase.
- Feeding System: Auger filler
- Total Power Energy: 2.5 KW
- Dimension(LxWxH): 2438 x 1346+600 x 1423 mm

### Application

It is designed for packing Flour, Milk Powder, Spice Powder, Juice Powder Instant Powder, Chemical Powder, Nutraceuticals, Pesticides & Other Substances.



## SUS 104 - V GRANULES PACKING MACHINE

Speed:  
60 - 90 BPM  
Bag Shape:  
Quad Seal With  
Gusseted Hanging  
Capacity:  
10gm-2kg

**VFFS SERIES**



### Specification

- Speed: 40 - 60 BPM depends on Product and paper characteristic
- Bag Shape: Quad Seal With Gusseted Hanging
- Feeding Systems: Volumetric Turn Table
- Max. Reel Dia x Width 76 mm
- Dimension (LxWxH): 2200 x 1120+600 x 1800mm
- Power Supply: 400v 50Hz 3 Phase
- Total Power Energy: 4 KW

### Application

It is suitable to pack granular products, snacks, Tea, Rice, Pulses, Sugar, Pasta, Dryfruits, Candies, Cereals, Pet Food Detergents & Granules Substances

## Ghani 101 - MHW CONTINUOUS BAG MAKER

Capacity:  
10gm-10kg  
Bag Type:  
Pillow Bag,  
Gusset Bag

**VFFS SERIES**



High speed  
continuous machine  
with metal detector  
with unique  
techniques



### Specification

- Capacity: 150 bag/min,
- Accuracy: < +1.5%
- Bag Size: (L) 50-300mm (W) 90-200mm
- Film Width: 420mm • Bag Type: Pillow Bag, Gusset Bag
- Voltage: Four wire 3 Phase 380V 50/60Hz
- Total Power: 6.6 KW
- Dimension (LxWxH): 3355 x 3150 x 3760mm

### Application

This versatile machine efficiently packages a diverse range of food and non-food items, including snacks, candies, rice, pulses, pasta, biscuits, sugar, salt, tea, spices, and similar products. Its capability extends to packing various granular substances like dry fruits, cereals, pet food, and detergents, offering flexibility in packaging applications.



## TW 101 - MHW GRANULES PACKING MACHINE

Best sealed seem quality through special methods



Speed:  
120 - 150 BPM  
(Depends)  
Capacity:  
10gm - 10kg  
Product:  
Granules

**TWIN SERIES**



### Application

This machine efficiently gives high-speed packages a diverse range of food and non-food items, including Snacks, Candies, Rice, Pulses, Pasta, Biscuits, Sugar, Salt, Tea, Spices, and similar products. Its capability extends to packing various granular substances like dry fruits, cereals, pet food, and detergents, offering flexibility in packaging applications.

### Specification

- Speed: 120 - 150 BPM (Depends)
- Accuracy: < +1.5%
- Bag Shape: Optional, Pillow pack, Gusseted Quad etc
- Feeding Systems: Multi Head Weigher
- Film: Any Heat Sealable
- Dimension(LxWxH): 3355 x 2035 x 3455mm
- Total Power energy: 6 KW

## TW 101 - V

Speed:  
120 - 150 BPM  
Capacity:  
10gm - 2kg  
Products:  
Granules



**TWIN SERIES**



### Application

It is designed for Packing Tea, Rice, Pulses, Sugar, Past, Detergents, & Granules substances. Widely use in FMCG, Confectionary Industries

### Specification

- Speed: 120 - 150 BPM (Depends)
- Bag Shape: Optional
- Feeding Systems: Volumetric Turn Table
- Film: Any Heat Sealable
- Max. Reel Dia x Width 300 mm x 320 mm
- Power Supply: 400v 50Hz 3 Phase
- Total Power energy: 4.5 KW
- Dimension(LxWxH): 1780 x 1985 x 2440mm



## TW 101 - AG

Packaging machine with dual-channel parallel, take up a small production space, high production efficiency.



Speed: 120  
Upto 200 BPM  
Capacity:  
10gm - 10kg  
Products:  
Powders

**TWIN SERIES**

### Application

This machine is designed for efficiently packaging a variety of powdered substances, including Flour, Milk Powder, Spices, Chemical Powder, Pesticides seasonings, coffee and other substances.

### Specification

- Speed: 120 - Upto 200 BPM (Depends)
- Bag Shape: Optional
- Feeding Systems: Auger Filler
- Film: Any Heat Sealable
- Max. Reel Dia x Width 300 mm x 320 mm
- Power Supply: 400v 50Hz 3 Phase
- Total Power energy: 5.5 KW
- Dimension: (LxWxH) 1780 x 1985 x 2440mm

## SAMA (UNIVERSAL)

Speed:  
700 bags/min  
Capacity:  
1-6ml (0.5-30gm)  
Lane: 4-12



**MULTILANE SERIES**

### Application

This sachet multilane machine is used for four-sided seal sachets for packing Oil, Shampoo, Honey, Ketchup Chemical, Instant Powder, Drugs all Liquids, all Granules & Powders

### Specification

- Speed: 70 beats/min
- Bag Size: Width 35-120, Length 50 - 150
- Lane: 4 - 12
- Speed: 700 bags/min
- Power: 380 V 50 Hz
- Dimension (L x W x H) 2400 x 2490 x 2270 mm



## MULTILANE FILLERS

### MULTILANE SERIES



Slide Filler



Oscillating Filler



Auger Filler



Liquid Filler



## MULTILANE SERIES



### MULTILANE GRANULE STICKPACK MACHINE

Granule Stickpack Machine is suitable to pack granular products such as Sugar, Salt, Tea, Coffee Bean, Gold Coffee, Pellets into stickpacks.



Stickpack Sachet



### POWDER STICKPACK MULTILANE

This machine is suitable to pack Powder Products such as Turkish Coffee, 3in1 Coffee, Milk powder, Drink powder, Baking powder, Spice, into stickpacks.



4 Side Seal Sachet



3 Side Seal Sachet



Back Seal Sachet



### UNIVERSAL SAMA

This sachet multilane machine is used for four-sided seal sachets for Packing Liquids, Grains, Powders, Granules, Detergent, and Chemical.



Liquids



### VOLUMETRIC GRANULES MULTILANE

Flour, Milk Powder, Spices, Chemical Powder, Pesticides & Granules Substance.



Granules



Powders



### AUGER POWDER MULTILANE

A specialized machine designed for packaging tea and granular substances.



Pastes



## 6L - VOLUMETRIC GRANULES MULTILANE



Speed:  
60 - 90 BPM  
Capacity:  
0.5 - 200gm  
Feeding System:  
multi head weigher

**MULTILANE SERIES**



### Specification

- Speed: 120 - Upto 70 x 6 = 420 Sachets/ Min
- Bag Shape: 4 Side Seal
- Feeding Systems: Volumetric Sliding Plate
- Film: Any Heat Sealable
- Max. Reel Dia x Width 400 mm x 330 mm
- Dimension: L 1625 x W 2745 x H 1930 mm
- Power Supply: 400v 50Hz Three Phase
- Total Power energy: 5.5 KW

### Application

This machine is packing Ispaghul, Tea, Pesticides, Detergent, & Granules Substances. It is widely used in Chemical, Cosmetics, Food, Nutraceutical, & Pharmaceutical Industries

## 3 L - AG POWDER FILLING MACHINES



Speed:  
Upto 50 x 3 =  
150 Sachets/ Min  
Capacity:

Product:  
Granules

Best sealed seem  
quality through  
special methods

**MULTILANE SERIES**



### Application

A specialized machine designed for packaging tea and granular substances.

### Specification

- Speed: Upto 50 x 3 = 150 Sachets/ Min
- Bag Shape: 4 Side Seal
- Feeding Systems: Augar Filler PLC
- Max. Reel Dia x Width 600 mm x 600 mm
- Power Supply: 400v 50Hz 3 Phase
- Total Power energy: 3 KW
- Film: Heat Sealable
- Dimension: (LxWxH) 1625 x 2745 x 1930mm



## UNIVERSAL SAMA-14L LIQUID FILLING MACHINE

Speed:  
70 beat/min  
Capacity:  
1-60ml (0.5-30gm)  
Product:  
Liquids

MULTILANE SERIES



### Application

This sachet multilane machine is used for four-sided seal sachets for Packing Liquids, Grains, Powders, Granules, Detergent, and Chemical.

### Specification

- Speed: Up to 70 beat/min, upto 800-1100 bags/min
- Lane: 2 to 14.
- Capacity: 1-60ml (0.5-30 gram) 4 - 200 gm
- Bag Size: 50 - 150\*35-120
- Total Power Energy: 19 KW
- Max Reel Dia x Width: 300mm
- Dimension: (LxWxH): 3300 x 2700 x 2800 mm

## MULTILANE GRANULE STICKPACK SACHET MACHINE

Speed  
Up To 80 CPM  
Lane: 4 - 20  
Bag Shape:  
Stick Pack Sachet

MULTILANE SERIES



### Application

Granule Stickpack Machine is suitable to pack granular products such as Sugar, Salt, Tea, Coffee Bean, Gold Coffee, Pellets & Spices into stickpacks.

### Specification

- Speed: Up To 80 CPM
- Packaging Roll: Up to 1200
- Bag Shape: Stick Pack
- Power Supply: 380V - 50hz 4-6 kW
- Number of Lane: 2-20
- Air Supply 6-8 Bar 600 - 800 L/min
- Feeding Systems:  
Oscillatory volumetric filling system
- Dimension (LxWxH): 1800 x 1900 x 3200 mm



## POWDER STICKPACK MULTILANE



Speed:  
Up to 50 CPM  
Stick Length:  
40 - 200mm  
Lanes: 4-12

**MULTILANE SERIES**



### Application

This machine is suitable to pack Powder Products such as Coffee, 3in1 Coffee, Milk powder, Drink powder, Baking powder, Spice, into stickpacks.

### Specification

- Speed up to: 50 CPM
- Packaging Roll: UP TO 1200
- Lanes: 2-12
- Power Supply 380V - 50 hz 6-12 kW
- Stick length: 40-200 mm
- Dimension (LxWxH): 1800 x 1900 x 3200 mm

## 700 - PT



Speed:  
60 - 90 BPM  
Capacity:  
5 - 200gm  
Feeding System:  
Volumetric Cup  
feeding system

**CLIP SEAL SERIES**

Granular Version



Snack Version



### Specification

- Speed: Up to 60 BPM (depends on Product & paper characteristic)
- Bag Shape: Pillow Shape
- Feeding Systems: Volumetric Turn Table
- Power Supply: 380 - 400v 50Hz
- Total Power Energy: 1.5 KW
- Dimension (LxWxH): 2057.4 x 1244.6 x 2159mm
- Machine Weight: Approx. 750 kg

### Application

It is widely used in packing Snacks, Crackers, Pasta, Nimco Products, Pop Corns, Spices, Detergents, Tea, Salt & Granules Substances. used in Confectionary, Food & Chemical Industries.



## 700 PT BE-J



Speed:  
Upto 35-50 BPM  
Capacity:  
25 - 2000gm  
Bag Shape:  
Pillow Shape

We evaluate the product's quality through special methods with high quality & experience.

**CLIP SEAL SERIES**



### Application

This machine efficiently packs a variety of products such as Snacks, Crackers, Pasta, Nimco Products, & Popcorn into packets.

### Specification

- Speed: Upto 35 - 50 BPM (Depends)
- Bag Shape: Pillow Shape
- Feeding Systems: Buckets Elevator
- Film: Heat Sealable
- Max. Reel Dia x Width 300 mm x 450 mm
- Power Supply: 220v 50Hz Single Phase
- Total Power energy: 4 KW
- Dimension(LxWxH): 1780 x 1985 x 2440mm
- Weight Of Machine: Approx 950 kg

## 600 3S - RCP

Speed:  
Up to 50-65 BPM  
Capacity:  
5gm - 50gm  
Bag Shape:  
3 / 4 side seal

### Application

It is designed for Packing Recipe Powder, Powder, Spices with Solid Substances

### Specification

- Speed: Up to 50-65 BPM (depends on Product and paper characteristics)
- Bag Shape: Three Side/Four Side
- Feeding System: Volumetric Turn Table & Buckets
- Film: Any Heat sealable
- Max Reel Dia x Width - 350mm x 410mm
- Total Power energy: 2.5 KW
- Power Supply: 380-400v 50Hz 3 Phase.
- Dimension (LxWxH): 865 x 4065 x 2290mm



**CLIP SEAL SERIES**

## 700 PT - RCP

Speed:  
Up to 50-70 BPM  
Capacity:  
5gm - 500gm  
Bag Shape:  
Pillow Pack

### Application

This Model is used for Packing Recipe Powder, Powder, Spices with Solid Substances

### Specification

- Speed: Up to 50-70 BPM
- Bag Shape: Pillow Shape
- Film: Any Heat Sealable
- Max Reel Dia x Width: 350 mm x 280mm
- Total Power Energy: 2.5 KW
- Power Supply 380-400v 50Hz, 3 Phase.
- Dimension(LxWxH):865 x 4065 x 2290mm





## LD 3S 80 - AG

### Application

This Machine is used to packing Instant Drink, Medicine Health Foods, Milk Powder, ORS, Salt & Granules Substances etc..

### Specification

- Speed: Up to 60 BPM (depends on product & paper Characteristics)
- Bag Shape: Three & Four Side Seal/Pillow
- Power Supply: 380V, 50Hz, 3 Phase.
- Total Power Energy: 1.3 KW
- Film: Any Heat Sealable
- Dimension(LxWxH): 765 x 1780 x 1985mm

Speed:  
Up to 60 BPM  
Capacity:  
1gm - 25gm  
Bag Shape:  
3 sides



CLIP SEAL SERIES



## 600 TRP - 80

### Application

This Machine is used to packing Sugar Coated eggs, Sweet Balls, Bunties & Jelly Beans.

### Specification

- Speed: Up to 50 -70 BPM (depends on product & paper Characteristics)
- Bag Shape: Tetrahedron (Tri Pack)
- Feeding System: Volumetric Turn table
- Power Supply: 380v, 50Hz, Three Phase.
- Total Power Energy: 1.8 KW
- Film: Any Heat Sealable
- Dimension:(LxWxH): 765 x 1780 x 1985mm

Speed:  
Up to 50 -70 BPM  
Capacity:  
10gm - 200gm  
Bag Shape:  
Trio Pack



## 3 SIDE TEA BAGS WITH OUTER WRAP MACHINE

### Application

The machine is suitable for the dual bag packing of small grain-like materials, such as Tea Leafs, Medicinal Tea and Healthy Teas

### Specification

- Sealing type: Three sides sealing
- Filling range: 1-5g/bag
- Speed:30-40bags/minute
- Power:220V/50Hz, 1 phase
- Total Power Energy: 3.7kw
- Dimension(LxWxH): 1400 X 900 X 1750mm

Speed:  
30-40bags/min  
Capacity:  
Three sides seal



CLIP SEAL SERIES



## SINGLE CHAMBER TEA BAG WITH CARTONING BOX MACHINE

### Application

This Tea Bags With Cartonning Machine can pack 20 meshes to 100 meshes or bulk non-viscosity granular materials, such as Black tea, Green Broken Tea, herbals, and Flavored Tea into the bag, also used in Pharmaceutical, Health-care & Food Industries

### Specification

- Capacity: 120 bags/min
- Size of tea bag: 62.5mmx50 mm
- Total power: 1.5 KW
- Power: 220V/50HZ single phase
- Tag Dimensions: 28mm x24mm
- Packing in boxes: 25/50/100 30/60 8IA, 20/40 8IB
- Max. Dosage: 6cm2
- Dimension(LxWxH): 1.700 x0.900 x 2.000mm

Speed:  
120 bags/min  
Device:  
Heat Seal Tag,  
Glue Tag






## BURRAQ (HIGH SPEED COMPACT MACHINE)



Speed:  
Up to 100 BPM  
Bag Shape:  
Pillow Shapes  
Product:  
Granules

**CLIP SEAL SERIES**



### Application

It is widely used in packing Snacks, Pops, Crackers, Nimco, Candies, Pan Masala, Cereals, peanuts, Tea, Detergent, Spices, Dried fruits, Granules, Seeds, Daily appliances, Industrial Parts and food industries.

### Specification

- Speed: Up to 100 BPM
- Bag Shape: Pillow Shapes
- Film: Any Heat Sealable
- Total Power Energy: 2.5 K-W
- Power Supply: 220 - 240v 50Hz
- Dimension: (LxWxH): Single Phase 813 x 1676 x 1981 mm
- Weight of Machine: Approx 300kgs

## CHOCKI - 100



Speed:  
Up to 70 BPM  
Capacity:  
1 gm - 500gm  
Product:  
Liquids

Achieve superior sealed seam quality through unique methods.

**LIQUID SERIES**



### Application

This machine is designed for efficiently packaging liquid delights like Chocolate, Condensed milk, Jam, jelly, Ketchup, Coffee liquid, Paste, Olive oil, Shampoo, Honey, Sauces, Mayonnaise, Cream, Lotion and other similar products with precision and ease. widely used in FMCG companies Chemical, Pharmaceutical, Confectionary & Food Industries.

### Specification

- Speed: Up to 70 BPM
- Bag Shape: Three/Four Side Seal
- Feeding System Dosing Pump
- Film: Any Heat sealable
- Max reel (Dia x Width): 350 mm x 300mm
- Total power energy: 3 KW
- Power supply 380-400v 50Hz Three Phase.
- Dimension (LxWxH): 965 x 1425 x 1830mm
- Weight of Machine Approx. 750 Kg



## TWIN CHOKI 100



Speed:  
Up to 65 BPM  
Capacity:  
1 gm - 500gm  
Product:  
Liquid

**LIQUID SERIES**



### Application

This Machine is Specially designed for Liquid Chocolate, Condensed Milk, Ketchup, Sauce, Car Shampoo with Luster etc...

### Specification (2 in 1 - 100 - 4S)

- Speed: Up to 65 BPM
- Bag Shape: Four Side Seal
- Max Reel (Dia x Width): 300mm x 300mm
- Total Power Energy: 4 KW or 1.7 KW
- Power Supply : 220-240v, 50 Hz, Single Phase  
380-400v 50 Hz 3 Phase
- Dimension(LxWxH): 965 x 1425 x 1985mm.

### Specification (TWIN CHOKI 100)

- Up to 50 BPM
- Four and Three Side Seal
- 300 mm x 250 mm
- 3 KW or 1.1 KW
- 220-240v 50 Hz, Single Phas
- 380-400v 50 Hz 3 Phase
- (LxWxH) 965 x 1425 x 830mm

## OIL/MILK PACKING MACHINE



Speed:  
1500-2200  
bags/Hour  
Product:  
Edible Oil, Milk, Ghee

**LIQUID SERIES**

Precision machine components are made of high-precision materials in the configuration of the machine, which makes the machine more stable



### Application

It is widely used for packing various kinds of Liquid, Such as Edible Oil, Milk, Ghee, Pure water, Soybean, Fruit Juice, Soy Sauce, Lubrication oils, Vinegar, Beverage & Paints.

### Specification

- Capacity: 1500-2200bags/Hour
- Volume: 300ml-1000ml
- Power: 220v/380v 1.8kw
- Film Width: 320mm/380mm
- Dimension(LxWxH): 1100 x 900 x 2100mm
- Weight: 450kgs



## HP - 100

Designed for efficiently and accurately packaging a wide range of items



Speed:  
Up to 70 BPM  
Capacity:  
1gm - 200gm  
Bag shape:  
Pillow Shape



**H SERIES**

### Application

This packaging machine designed for packing various items such as Snacks, Pops, Crackers, Nimco, Peanuts, Spices, Detergents, Tea, Salt, Granules, and other substances. This machine is likely equipped to handle different types of products with diverse properties, sizes, and shapes.

### Specification

- Speed: Up to 70 BPM
- Bag shape: Pillow Shape
- Max (Reel Dia x Width): 350mm x 280mm
- Total power energy: 2.5 K-W
- Power supply 220-240v 50 Hz Single Phase
- Dimension (LxWxH): 915 x 1880 x 2035mm
- Weight of Machine: Approx. 500 Kgs

## H 3S-70/HPT-70

Speed:  
Up to 70 BPM  
Bag Shape:  
4 Side Seal  
3 Side Pillow Stick



**H SERIES**

### Application

This Machine is designed for Packing Pan Masala & Sweet Supari, Instant Drink, Medicine Health Foods & ORS, Black Tea, Green Tea, Sugar, Granules Substances, Jelly Balls, Lolly pops & Sugar coated Eggs.

### Specification

- Speed: Up to 70 BPM (depends on Product)
- Bag Shape: 4 Side Seal/3 Side Pillow Stick
- Max Reel(Dia x Width): 300mm x 250 mm
- Total Power Energy: 3 KW
- Power Supply: 220v 50 Hz Single Phase
- Dimension(LXwXh):915 x 1425 x 2035mm
- Weight of Machine: Approx. 500 Kgs



## F1 PACKAGING MACHINE



Speed:  
60 - 90 BPM  
Bag Shape:  
Pillow shapes  
Total Power  
Energy: 2.5 Kw

**H SERIES**

Best sealed seem  
quality through  
special methods



### Application

It is mainly used in packing Snacks, Pops, Cracker, Nimco, Candies, Pan Masala, Cereals, Peanuts, Tea, Detergent, Spices, Dry-fruits, Granules, Seeds, daily appliances & Industrial Parts.

### Specification

- Speed: Upto 60 - 90 BPM
- Bag Shape: Pillow shapes
- Film: Any Heat Sealable
- Total Power Energy: 2.5 Kw
- Power Supply: 220-240V, 50Hz, 3 Single Phase
- Dimension (LxWxH): 813 x 1676 x 1981mm

## IR-40 IRREGULAR SACHET PACKING MACHINE



Speed:  
30-80 bags/min  
Capacity:  
10-40ML/bags  
Shapes:  
Irregular Style

**H-SERIES**



### Application

This liquid packaging machine is suitable for packing the Liquid into the bags with various shapes, such as Bottles Shape Round Corner Stick Bags, Daily necessities: Shampoo, Conditioner, Hand Soap, Shower Gel, Hand Soap, Toner, Lotion, Food Olive Oil, Drinking Water, Milk, Soda, Soy Sauce, Juice, Honey, Jam, Tomato Paste, Chemicals: Detergent, Disinfectant & Bleach.

### Specification

- Capacity: 10-40 ML
- Packing Speed: 30-80 bags/min;
- Film Width: Max.200mm
- Bag Length: 80-300mm, Adjustable
- Bag Width: 60-200mm
- Power: 220V; 50HZ; 1.2KVA;
- Bag Sealing Type: Irregular Shape



## KHAINI PACKING MACHINE



Speed:  
300 pouch per min  
Product:  
Tobacco  
Sealing Type:  
Center seal pillow

**H-SERIES**



### Application

Khaini, Snuff Packing Machine It is used to pack Tobacco Powder, Tobacco Snuff, Nicotine Powder, and white Nicotine Powder. You can also pack Nicotine-free products using this packing machine.

### Specification

- Speed: 300 pouch per min (depend on weight and size)
- Product: Tobacco
- Sealing Type: Center seal pillow type
- Filling Type: Volumetric air filling system
- Power: 3KW, 440V AC, 50HZ, 3 Phase
- Dimension(LxWxH): 3355 x 2035 x 3455mm

## MR - 1000 CANDY PACKING MACHINE



Speed:  
Up to 2000 BPM  
Bag shape:  
Pillow Shape  
Product:  
Candies, bubble gum

**HORIZONTAL SERIES**



### Application

Candy packing machine is used for packaging candies and other solid products with regular shapes, such as: Gum Candy, Soft Gum, Toffee, Chocolate, Pills, Milk Bar, etc.

### Specification

- Speed: Up to 2000 BPM
- Bag shape: Pillow Shape
- Film: Any Heat sealable
- Max reel Dia x Width - 300 mm x 100 mm
- Total Power Energy 2.5 K-W
- Power supply - 400 v 50-60Hz
- Dimension(LxWxH): 2700 x 900 x 1800 mm



## DOUBLE TWIST CANDY WRAPPING MACHINE



Speed:  
≤550 pcs /min  
Product size:  
(L)12-33x(W)12-26x  
(H)6-20

**HORIZONTAL SERIES**

### Application

Double Twist Wrapping Machine offers a versatile approach to wrapping a diverse assortment of confectionery products, from high boiled sweets to fudges, chocolates, caramels and toffee. Product is fed into the feed plate manually by an operator.

### Specification

- Packing speed: up to 550 Packs/Min
- Dimension(LxWxH): 2030 x 1250 x 1810mm
- Power: 2.5KW
- Product size: 12-33(L)x12-26(W)x6-20(H)
- Thickness 6-20mm
- Machine Weight: 1000kg

## LOLLIPOP WRAPPING MACHINE



Capacity:  
60 - 280/pcs /min  
Packing Shape:  
Spherical lollipops,  
Stick length:  
65≤L≤90mm

**HORIZONTAL SERIES**

### Application

Lollipop Wrapping Machine is suitable for packing Flat Lollipop sealed by two layers of films and is featured with superior, smooth and reliable performance. The packed candy is featured with good looking, good sealing, long period of storage etc. It is an ideal machine for packing all kinds of special shaped Lollipop.

### Specification

- Capacity: 60~280 pcs/min
- Packing Film Width Applicable: ≤80mm
- Packing Shape: Spherical Lollipops, Stick Hard Candy, Spherical Candy, Round Candy
- Stick length: 65≤L≤90mm
- Motor: 1.5KW
- Dimension(LxWxH): 4400×1050×1700mm



## FL-150 FLAT LOLLIPOP WRAPPING MACHINE

Speed: Up to 325  
Per Minute  
Packing film  
size:  
125x125mm

Enhance your  
manufacturing  
system with additional  
machines like a batch  
roller and rope sizer,  
available upon  
request.



**HORIZONTAL SERIES**

### Application

It is a specialized Flat lollipop wrapping machine designed for efficient and consistent wrapping of flat lollipops. The machine manages every step-cutting the candy, inserting sticks, shaping the lollipops, and wrapping them in a neat, heat-sealed flat style wrap.

### Specification

- Speed: Up to 325 Lollipops Per Minute
- Packing film size: 125x125mm
- Voltage: 380V, 3P
- Total Power: 3.5 KW
- Dimensions(L x W x H):  
3410 x 1375 x 2019mm
- Machine Weight: 3200Kg

## TP-150 FLOW WRAP PACKING MACHINE

Speed:  
Up to 150 BPM  
Bag Shape:  
Pillow Shape  
Total power energy:  
1.4 KW-4 KW



**HORIZONTAL SERIES**

### Application

This machine is a versatile packaging system designed to pack a diverse range of products, including Confectionery & Bakery items Bread, Crackers, Biscuits, Wafers, Chocola Rusk, Bun, Soap, Chocolate bars, and Pharmaceuticals Tablets, Blister Packs, and Crab Bandages.


### Specification

- Speed: Up to 150 BPM
- Bag Shape: Pillow Shape
- Max Reel (Dia x Width): 300mm x 300mm
- Total power energy: 1.4 KW-4 KW  
220-240v, 50Hz, Single Phase /  
380-400v 50 Hz. 3 Phase
- Dimension(LxWxH):4270 x 915 x 1730mm



## TP 150 - PLUS FLOW WRAP WITH I-SHAPE CONVEYR

Speed:  
Up to 150 BPM  
Bag shape:  
Pillow Shape  
Power Supply:  
1.5 KW - 4.5 KW



HORIZONTAL SERIES



### Application

It is designed for Packing Confectionery & Bakery, Bread, Crackers, Biscuits, Wafers & Chocolate Bars, Pharmaceuticals, Tablets, Blister & Crab Bandage, Chocolate Bar, Bread, Bisc Deodorant Disc etc.

### Specification

- Speed: Up to 150 BPM (depends on product & paper characteristics)
- Bag shape: Pillow Shape
- Max Reel (Dia x Width): 300mm x 300mm
- Power Supply: 1.5 KW - 4.5 KW 220-240v 50 Hz Single Phase/ 3 Phase
- Dimension(LxWxH):4270 x W 2440 x H 1730mm

## APL-200

Speed:  
Up to 100 BPM  
Bag shape:  
Three Side Seal



Best sealed seem quality through special methods

HORIZONTAL SERIES



### Application

This machine specializes in packaging various items such as Ampoules, Elfy, Pens, and Similar Products.

### Specification

- Speed: Up to 100 BPM
- Bag shape: Three Side Seal
- Film: Any Heat sealable
- Max reel Dia x Width: 300mm x 300mm
- Total Power Energy: 4 KW-1.8 K-W
- Power Supply: 220-240v 50 Hz Single Phase 380-400v 50 Hz Three Phase
- Dimension (LxWxH) 4270 x 915 x 1730mm





## TP LT - 350

Speed:  
Up to 350 BPM  
Bag shape:  
Pillow Shape  
Film: Any  
Heat sealable



**HORIZONTAL SERIES**



### Application

This machine is designed for efficiently packaging items like Cigarettes, Ampoules, Elfy, and similar products into packets, ensuring precision and reliability in the packaging process.

### Specification

- Speed: Up to 350 BPM
- Bag shape: Pillow Shape
- Film: Any Heat sealable
- Max reel Dia x Width: 300mm x 300 mm
- Power supply 220-240v 50 Hz Single Phase / 380-400v 50 Hz Three Phase
- Dimension(LxWxH): 6400 x 915 x 1730mm
- Weight of Machine Approx. 1500 Kgs

## TP 400 BOX MOTION FLOW WRAPPING MACHINE

Speed:  
Up to 15-80 BPM  
Bag shape:  
Gusseted Pouch  
Film Width:  
600mm

Creating the best quality sealed seams involves using special methods.



**HORIZONTAL SERIES**



### Application

Mainly used for packing various kinds of Irregular, Sticky or Bulky products, such as egg roll, Sausage, Squid, Bread, Instant Noodles, Preserved Fruit, Jelly Candy, Toilet Soap, Pocket Notebook, Stick Tape, Medicine, and so on.

### Specification

- Speed: Up to 15 - 80 BPM (depends on product & paper characteristics)
- Bag shape: Gusseted Pouch
- Total power energy-L1200mm
- Power Supply: 0.4 KW 220-240v 50 Hz Single Phase/ 3 Phase
- Dimension (LxWxH):2174 x 1216 x 1818mm
- Machine Weight: 1200 kgs



## AUTOMATIC FLOW WRAP PACKING MACHINES



- Bowl Shrink Pack
- Bundle Pack
- Spaghetti

**HORIZONTAL SERIES**



**Application:** BOWL NOODLE AND CUP NOODLE SHRINK PACK



**Application:** BURGER MULTI PACK



**Application:** INSTANT NOODLE SINGLE PACK

### Specification

- Film Width: Max.720 mm
- Packing Speed: 20-100Ppm
- Package Length: 180-600mm
- Product Width: 40-320mm
- Product Height: 5-160 mm
- Power: : 6.5KW
- Voltage: 220V 50HZ
- Dimension (LxWxH): 6300x1400x1900mm

### Specification

- Packing Speed: 20-130 Pc/min
- Package Length: 100-450mm
- Product Width: 40-220mm
- Product Height: 35-75mm
- Power : 5.6KW;
- Voltage: 220V 50HZ
- Weight: 1100 (kg)

### Specification

- Film Width: Max.450mm
- Product Weight: 110g/200-1000g
- Packing Speed: 70-80 ppm,110g
- 50-60 ppm 200-1000g
- Product Length: 260mm
- Power: 7KW
- Voltage: 220V 50HZ
- Dimension(LxWxH): 7700x3000x1600mm

## INSTANT NOODLES PACKING MACHINE

- Speed: 20-240 Packs/min
- Bag length: 180-600mm

**HORIZONTAL SERIES**



### Application

Instant Noodles Pack Machine Suitable for automatic packing of instant noodles, biscuits, Japanese noodles, ice cream bar, snack, tissues, chocolate, quick frozen food, adhesive tape, industrial parts, consumer goods, etc

### Specification

- Film Width: Max.720 mm
- Packing Speed: 20-240 Packs/min
- Package Length: 180-600mm
- Product Width: 40-320mm
- Product Height: 5-160mm
- Power and Voltage: 6.5KW; 220V 50HZ
- Air Capacity: 0.6Mpa, 1.5m³/min
- Dimension (LxWxH): 6300 x 1400 x 1900mm (can also be customized)





## BAG IN BAG PACKING MACHINE

### Application

This versatile machine caters to both food and non-food industries, efficiently packaging a wide range of items such as pre-wrapped pouches.

### Specification

- Speed: Max. 20 bpm
- Product length: 400-700mm
- Outer Bag Length: 500-800mm
- Bag width: 300-450mm
- Power Supply: 220V, 50/60HZ, 4.5KW
- Air Requests: 0.35m<sup>3</sup>/min, 0.6Mpa
- Dimension(LxWxH): 4000x1900x1550mm




**DOYPACK SERIES**

## AUTOMATIC COLLECTION BALLER MACHINE


Single Line



Double Line



Three Line



### Specification

- Packaging Speed: 70 b/m - 140 b/m
- Equipment power: 2.2 KW.
- Gas consumption: 2m<sup>3</sup>/hour.
- Input gas source pressure: 0.5Pa-0.7Pa.
- Total weight of equipment: 750KG.
- Controller: motion control PLC

## PRE-MADE POUCH FILL & SEAL MACHINE



Model: PMA-10  
Feeding System: Augur Filler

Filling Material:  
• Liquid  
• Paste  
• Powder  
• Granules



Model: Linear Doypack PMP-10  
Feeding System: Liquid Filler



Model: Linear Doypack PML-10  
Feeding System: Volumetric Cup Filler



Model: Linear Doypack 210  
Feeding System: Multihead weigher





## FORM FILL SEAL DOYPACK MACHINE



### Application

The machine is specially designed for small and medium-sized flat bags. It can be sealed on three sides or four sides.

### Specification

- Dimension: 3500\*970\*1530mm
- Pouch Width: 60-180mm
- Pouch Length: 80-225mm
- Filling Capacity: 500ml
- Packaging Capacity: 40-60pp
- Bag Shape: 3 Side Seal, 4 Side Seal
- Power: 4.5kw

Bag Shape:  
3/4 Side Seal,  
Capacity:  
500ml



DOYPACK SERIES

## LINEAR DOYPACK PRE-MADE POUCH FILLING & SEALING MACHINE



### Application

This machines is used for Packing a wide variety of products such as food and beverage, animal/pet food, detergents, cosmetics, chemical products, etc.

### Specification

- Bag Width: 120mm Width = 210 mm.
- Bag Length: 140mm Length ≤ 280 mm
- Bag Shape: Premade Pouch/Doypack Pouch/ Pre-opened Zipper Pouch
- Max Speed: 34 BPM without zipper opener, 28bags per min with Zipper opener
- Power: 220V/60HZ 3Phase 5 Amps
- Air: 6Kg/cm2, 0.14CBM per min

Speed:  
34 BPM  
Bag shape:  
Premade  
Pouch,  
Doypack Pouch



## BOX GLUING MACHINE

### Application

It is suitable for all carton packaging that needs to be glued and sealed, such as sealing of confectionary, food, medicine, chemical and cosmetic boxes etc.

### Specification

- Speed: 25-35 bags/min
- Box Length: As per sample
- Box Width Range: As per sample
- Box Height Range: As per sample
- Air Need: 6 bars
- Voltage: 220V/50Hz, 3.2 Kw
- Size (LxWxH): 2000x1000x1400mm
- Glue: Hot melt glue
- Weight: 200Kg

Speed:  
25-35 bags/min  
Box Length:  
As per sample  
Product:  
Boxes



DOYPACK SERIES

## SEMI AUTOMATIC RE-PACK MACHINE



### Application

This semi-automatic packing machine for adult diapers, baby diapers, nursing pads, mattresses, pet pads and bag seals, mattresses and pet pads.

### Specification

- Speed: 4-12bags/minute
- Power: 220V 50Hz
- Total Power Energy: 0.4KW
- Dimension(LxWxH): 100~200 or 200~450 x 1100~150 or 150~280 x 150~80 or 80~180mm
- Weight: 300KG

Speed:  
4-12bags/min  
Power:  
220V 50Hz  
Bag Shape:  
Box Shape,



## VTM-06 VACUUM THERMOFORMING MACHINE



Speed:  
4-6 times/min  
Sealing Power:  
2000 W

**VACUUM SERIES**

### Application

The machine will remove air from tray, then fill modified gas into tray, and seal cover film. Whole process happens in a closed chamber. This way it can ensure high vacuum degree, extend shelf life in a healthy way, meanwhile keep food fresh. Widely use in Manufacturing Plant, Food & Beverage Factory.

### Specification

- Sealing Power: 2000 W
- Speed: 4-6 times/min
- Vacuum Pump capacity: 100 or 160 or 200 (m3/h)
- External Dimensions (L×W×H)  
without inkjet printer : 4820x1085x1885mm  
with inkjet printer : 5840x1085x1885mm



## TRAY VACUUM GAS PACKAGING MACHINE



Speed:  
10-12 tray/min  
Sealing:  
Vacuum,  
Gas-flushing

### Application

This machine is used to vacuum the products to increase its shelf life Beverage, Food, Commodity, Meat, Fish, Cheese, Fruit, Dates, Food. Widely use in Farms, Restaurant, Food Shop, Food & Beverage Shops.

### Specification

- Power: 5.7 KW
- Speed: 10-12 for only sealing ;  
3-5 for vacuum, gas-flushing and sealing
- Dimensions (L×W×H): 1238×1500×1545mm
- Ultimate vacuum pressure: 1 KPa
- Flushing gas: N2 or N2+CO2

## VACUUM PACKAGING MACHINES



Skin Thermoforming  
Packaging Machine



Map Tray Vacuum  
Packaging Machine



Tray Vacuum  
Packaging Machine



Single Chamber Semi Automatic  
Skin Vacuum Packaging Machine



Automatic Vacuum Sealing  
Machine for Plastic Bag



Gas Purge Vacuum  
Sealer



Skin Thermoforming  
Packaging Sealing Machine



Table Top Vacuum  
Packaging Machine



Automatic Pillow Vacuum  
Packing Machine



## SHRINK WRAPPING MACHINES

### Application

These Shrink packaging machines are widely applied for outer shrink packing of various products, such as Foodstuff, Beverage, Pharmacy, Video Disc, Hardware, Cosmetics, Book, Toy, and Electronic Products widely use in FMCG, Hardware companies

### Specification

- Packing Speed : 100(Pcs/min)
- Voltage V/Hz :380V 50Hz/60Hz
- Dimension(L×W×H): 2610×1390×1500mm
- Power: 4kw
- Maximum film size: 550mm
- Packing Size (L×W×H): W 250-400mm H 10-150mm L: Unlimited



Providing additional product protection.

Unitizing canned goods and beverages.

WRAPPING SERIES



### Specification

- Voltage: Single Phase 220/50
- Power: 1.2 kw
- Packing Speed: 800-1200 pcs/hour
- Max. Packing Size(L×W×H): 450×400×300
- Compressed Air(kg/cm<sup>3</sup>): 6-8
- Dimension (L×W×H): 1560×757×1040 mm

## SHRINK WRAPPING MACHINES

### Application

These Shrink packaging machines are widely applied for outer shrink packing of various products, such as Foodstuff, Beverage, Pharmacy, Video Disc, Hardware, Cosmetics, Book, Toy, and Electronic Products widely use in FMCG, Hardware companies

### Specification

- Voltage V/Hz: AC 220/50
- Power: 3.8 Kw
- Packing Speed: 500-800 pcs/h
- Max. Packing Size(L×W×H): W+H<400, W<280, L<350, H<80
- Dimensions (L×W×H): 1215×590×1020 mm
- Net Weight: 100 Kg



Providing additional product protection.

Unitizing canned goods and beverages.

WRAPPING SERIES

### Specification

- Voltage: 380/50(3PH) (V/Hz)
- Power: 2 kw
- Packing Speed: 0-12 Trays/min
- Max. Packing Size(L×W×H):500×300×330
- Sealing & Cutting Size (L×H): 700×330mm
- Dimension (L×W×H): 1360×2120×1900 mm





## SHRINK WRAPPING MACHINES



Skin Thermoforming Packaging Machine



Linear Type Tray Vacuum Packaging Machine



Gas Purge Vacuum Sealer



Skin Thermoforming Packaging Sealing Machine



Bag inserter



Automatic Vacuum Sealing Machine for Plastic Bag



Tray Former with Hotmelt



Automatic Pillow Vacuum Packing Machine

## AUTOMATIC THERMOFORM FILL & SEAL MACHINE

### Application

Automatic thermoform fill & seal machine is designed for filling all kinds of free flowing liquid, such as Pickles, fruit jam, chocolate jam, butter, ketchup, etc. as well as biscuit, candy, troche, capsule and so on.

### Specification

- Dimension: 4000×750×1800mm
- Cutting speed: 6-25times/min
- Capacity: 360-3000tims/hour
- Adjustable stroke: 40-200mm
- Max. forming area: 340×190mm
- Max. forming depth: AL/PL 26mm
- Packaging Shape: Blister Packing
- Power supply: 3N-50Hz 380V/220V
- Air pressure: 0.4-0.6MPa

Bag Shape:  
Irregular, square,  
circle,  
Capacity:  
360-3000tims/hour



BLISTER SERIES

## KINDER JOY AUTOMATIC COLORFUL FORMING FILLING SEALING MACHINE

Speed:  
10-30times/min  
Bag shape:  
egg shape,  
irregular shape

### Application

This machine is used in colorful plastic sheet forming, filling, sealing and cutting, it is suitable for the packaging of chocolate paste, margarine, candy, biscuit, toy and etc.,

### Specification

- Cutting Frequency: 10-30times/min
- Dimension: 5300mm x 750mm x 1750mm
- Max shaping areas depth: 160x250x24mm
- Cutting frequency: about 20times/min
- Filling type: Piston rationed cup filling
- Power: 80V/3 PHASE/50Hz
- Air: 0.4-0.6Mpa





## AUTOMATIC POWDER CAN/JAR FILLING LINE

Speed:  
15-25 Cans/min  
Filling range:  
100-2000g  
(Customizable)

**FILLING SERIES**



### Application

It's suitable for the automatic filling of various powder products, such as Milk powder, protein powder, nutritional powder, coffee powder, medicine powder, chemical powder, meal replacement powder, etc.

### Specification

- Speed: 15-25 Cans / min
- Power supply: 220V, 50HZ, 4.5KW
- Filling accuracy:  $\pm 1\%$   
(different materials vary)
- Working pressure: 0.6-0.8MPa
- Filling range: 100-2000g  
(Customizable)

## HEAVY DUTY POWDER FILLING MACHINE

Packaging  
Weight:  
10-50kg  
Feeding Mode:  
Double Screw

**FILLING SERIES**



### Specification

- Feeding Mode: Double Screw
- Packaging Weight: 10-50Kg  
(according to material)
- Packaging Accuracy:  $\pm 0.2\%$   
(according to material proportion and pack weight)
- Packaging Speed:  $\leq 3$  bags/min  
(according to material and filling weight)
- Power Supply: 380 220V/50Hz
- Total Power: 3.9kW
- Dimensions (LxWxH): 1000x1200x2400mm

### Application

This machine is suitable for many kinds of powder such as: Milk Powder, Flour, Rice Powder, Protein Powder, Seasoning Powder, Chemical Powder, Medicine Powder, Coffee Powder, Soy Flour etc.



## HEAVY DUTY GRANULES PACKAGING MACHINE



Packaging Weight:  
10-50kg  
Feeding Mode:  
Double Screw

Best sealed seem  
quality through  
special methods

**FILLING SERIES**



### Specification

- Metering Mode: Weighting Mode
- Feeding Mode: Double Screw
- Packaging Weight: 10-50kg
- Packaging Accuracy:  $\pm 0.2\%$
- Packaging Speed: 3bags/min
- Power Supply: 380/220V 50-60Hz
- Total Power: 3.9Kw
- Use Tolerance:  $0.2m^3/min$
- Over All Dimensions: 4000X1200X2400mm

### Application

It is widely used for packing various kinds of liquid, Such as Pure water, milk, soybean milk, Fruit juice, Beverage, Soy sauce, vinegar and wine. It uses single lay PE film for packaging ging material

## MULTIHEAD WEIGHERS



### 32 Heads Mixing Multihead Weigher

4th G three layers 24 heads weigher is suitable for weighing seeds, peanuts, nuts, almonds, raisins, candy, pistachio, potato chips, dumplings and other granule, sheet, strip, round shape material



### 10 Heads Weigher

Weigher for frozen food is suitable for weighing frozen foods, such as frozen fishes, fruit, frozen dumplings, rice dumplings, etc.



### 14 Heads Multihead Weigher

It is suitable for many kinds of dry and wet products, such as snacks, confectionery, nuts, etc. The speed of this multihead weigher machine is up to 110 WPM on 14 heads.



### Four Head Linear Weigher

is suitable for weighing granulated and powder material such as white sugar, salt, seed, rice, monosodium glutamate, fodder, milk powder, sesame and so on.



**WEIGHER SERIES**



**SAMA®**



Multi Head Weigher

Elevator

# 360°

**Find Your 360 Turnkey Solution Of Flexible Packaging & Processing For Your Industry**

Metal Detector



Partition Conveyor

Robotic Arm



Case Erector



Labeling Machine



Check Weigher



Conveyor

End Check Weigher

End Collect Table

Cartoning Machine

Packaging Machine



Raw Material



Pouch Packing



Weight Check



Box with Sachet



Boxes Collection



Carton Open



Tape & Mark



Carton Labelling




Ready to Collect






## TURNKEY SOLUTIONS



## TURNKEY SOLUTIONS





## AUXILLARY EQUIPMENT



*Screw Feeder*



*Feeder*



*Supporting Platform*



*Forming Tube*



*Bucket Elevator*



*Collection Bucket*



*Zebra Printer*



*Metal Detector*



*Finished Product Conveyor*



*Check Weigher*



*Acclivitious Conveyor*



*Rotary Collection Table*

## AUXILLARY EQUIPMENT



*Finished Product Conveyor*



*Horizontal Feeder*



*Long Conveyor*



*Viberating Shifter*



*Linear Viberating Machine*



*Handy Printer*



*Online Printer*



*Single Head Printer*



*Multihead Printer*



## Gallery Export & Exhibition



## INTERNATIONAL VISIT & AFFILIATION





## SPARE PARTS



All our systems and processes are carried out to high standards to ensure total customers satisfaction each order is verified for suitability for purpose prior to a contract been signed. Following manufacture our machines undergo testing, to ensure production is achieved 24 hours a day, 7 days a week for many years.

The close co-operations with our customers, combined with optimum maintenance and the use of high-quality original spare parts, ensures that machines downtimes is reduced to a minimum.

## EXCLUSIVE PACKAGING





## Our Valued Customers



## Our Valued Customers







Packaging Machines &  
Processing Systems



+92-21-36688883,  
+92-21-36603311  
+92-21-36602467,



+92-333-2347247  
+92-341-2713306



marketing@samaengineering.com  
info@samaengineering.com



<https://pk.linkedin.com/in/sama-engineering-a0546582>



<https://www.instagram.com/samaengineering1/>



<https://www.facebook.com/sama.engineering/>



[www.samaengineering.com](http://www.samaengineering.com)



Nazimabad #2, Block-A, Plot No.1/32,  
Opposite Firdous Colony Khi-74600 Pakistan.